

DEVO	7/17/80 PB /17/80 PB				179 Rap	
		1		2 =====	3 <u></u>	4 ===
			·			,
				•		
41					<u> </u>	
	74 5 374	- 20		+		
42	uPD416C2	- 20				
43	7	<b>M</b>				
45 45	sub part	4-		<del> </del>	+	
10 14						
47	(MK4116-3)(FI	6KAUC)				
41	N.	20			+	
49	uP0916C2	20				
49 50	74 \$ 374	7				
5?	748374	5				
52 52	48374 4PD416C2	2 <i>0</i>		+		
52 53	MEDITOLE	A				
55 54	<u> </u>		/··›			A
97 65	sub conts				·+	· · · · · · · · · · · · · · · · · · ·
56	sub parts (MK4116-3)(F16	····				1 1
56 57	(//IX4116-5)(114	6K9UL)				
58 59	74				+	
	MPD416C2	20 SOCKET) 9				
61	74 18 166 (16 PINS	SOCKET) -	, F :			
	SFARE	7.0				
62	uF0416C2	20				
63	Δ	<b></b>		1 1 2 2 2	<u> </u>	
65	and a te					
65	sub. parts				- · ·	
67	(MK4[16-3)(FI	6K4DCJ				
67						
<u>68</u>	¥				<del></del>	
69 70	uP0416C2	20				
70	74 \$ 374	7				
7/	74\$374	14				
77	MPD 416 CZ	20				
73	<del></del>			+		
74						
75	sub. part.			- 1	1 T T T	
76	(MK4116-3)(F	16K4DC)			·	<del></del>
77				<u> </u>	·	
78		<u> </u>			•	-\4/2\
79	u FD 416C2	20		Three	Comp	
80	76 68 166 (16 PINS	JOCKET) 4	<b>−</b>   ව්	Three		-MEM - F

REVC 7, REV B 7	/11/80 FB /17/80 FB			12/15/	179 5	mong		
					399	, ,		
		1		2		з =====		4 ===
				•	No. of Contrast of			
					Total and the same of			
81	74 £ 28Ø	6	-	*		I i	×	*
82	74.8374	4		1		÷ ]		
-		20						
65 64	MPD416C2	<del></del> <del>-</del> <del>-</del> <del>-</del>					# +	
P5	<del></del>					-		
80	sub. part	5						+
07	(MK411G-3)(F	IGKADC)		<del>                                     </del>			+	
88				<del>  </del>	<u> </u>	+	#	-+
39	<b>*</b>	<u>\</u>		i	<u> </u>		#	
17	uPD416C2	20	11	1		1	1 1	
9/	7418166 (16 PINS	The state of the s				- +	1 - 1 -	
72	74 \$ 374	8				1;		
73	74 \$ 374	14				1 - 1 - 1-		1
94	74£3.74	4			<u> </u>			. <u>.</u>
75	MPD91662	- 20	1 1	1		1	<u> </u>	1
96	Α	1		<u> </u>	11 11 12			
77					The state of the s			
98								
99		i l		1			4 1	i
99								il.
101	sub. parts	S		1 . 1		Y	4	
182	(MK4116-3)(FI	GKANC)				1	1	
133					li i			
134				1		1	1	
105	į v			<u>;</u>		+		
1260						1		Ē .
27				<del>                                     </del>	<del> </del>		1-7	· · · · · · · · · · · · · · · · · · ·
				F	H		#	
38	<del> </del>			<del></del>				1.
39	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	20			<u>(1                                    </u>		1	
<u> 1125 - :</u>	MPD416C2				<del></del>		1 2	T
1//	74 15 166 (16 PINSO						<u> </u>	- 7
<u> 112 - 1</u>	74 8 374	8		·		l <del></del>	1	
1/3	74 \$ 374	5			1 :	+		
114	MPD416C2	20			<u>.</u>	<u> </u>	#	
1.15		1	× 1 -		4		·	-
116	sub. part	S			×	· · · · · · · · · · · ·	Ţ	
77	(MK4116-3)		- 1 - 1	: ;	1		<del>-</del>	News the Lorent
13.	(F16K4	DC)		ļ		11 -	43	<u>, i</u>
119		V	***			· Camer	×	7
	UPD91662	50	_ ් <u>ව</u> ්	Thi MEM 1	ree Rive	rs Compu	- MEIM	

REV C 1	7/17/80 8 <u>8</u> 7/17/80 88			17/10	179 1	Can-	J	
1000	THI SO AP			12-/15/	400	- off		
	· .							
		1 ===		2 ====	•	3		4
				.				
	r H			-			1	
	(F16K4DC	), 7,			1 -			
121	UPD 416C2 (MK 4116-	3) 20						
/32	74 \$ 374	7						-
123	u PD 916C2						1 1 7	
124	<u> </u>		_     -					
125				1			1: 1 -	
126	546. parts				<u>.</u>			
127	(MK4116-3)		1 -					
128	(FIGKADC)					· · · · · · · · · · · · · · · · · · ·		
129	4	<u> </u>					11 11 12 12 12 14 14 14 14 14 14 14 14 14 14 14 14 14	ļ (
130	MPD41662	20		1 1	-			
131	74 L £ 166 (16 PIN SOCKET	-) 9	- 4					<u>.</u>
132	74 \$ 374	7					- <del> </del> <del> </del> <del> </del>	1111
133	74 \$ 74	14					<u>.</u>	
134	74\$374	5						
135	MPD41662	20	=					1
136	4	1						
137	e 4						 	,
138	sub parts						1	
139	(MK4/16-3)	*						1
14%	(FIGKADC)							
141	4		1			i .	i i	1
	MPD416C2	20					e	
143	SPARE				į.		L i	6
144	74 \$ 51	3,6				7		, T)
145	MPD416C2	20			, i	8		1
14%	( )  -  -	1			-		į,	l e
147								
1423	leub ante				1			1
(177) [467	sub parts (MK4116-3)			!				· †
150	(FIGKADC)	*			į		1	
157				i i	1		11 21	
152 152	NP0416C2	20				-	( <sup>7</sup>	1
152 153	74'48166 (16 PIN SOCKE		1 1		:		<del></del>	
153 154		6						
155	14 \$ 25¢ 4 PO416C2	20		·			- <del>1</del> ;	
7		<u> </u>	, i	1	1	, ,		
150	- sub. parts							
157	(MK4116-3)		<u> </u>	- <del> </del>	*	1-1		
158	(FIGKADC)	(He) 1 c	الديد سيا أدي		- X		4/3	<u> </u>
159	7	4	1	There -	Rivers	Comput	er ·	<u></u>
160	MPD 416C2	20	<b>1 3</b> □		ST TOL.2	چ ار <b>د</b> است	14241 - C	コ ニ

EV C 7 REV B :	7/11/80 8B 7/11/80 SB		12/15/79 Pap. 589
		1 <u></u>	2 3 4
			·
	(MK411G-3)		
161	uPDAIGCZ (FIGKADC)	20	
162	uPD416C2 (F16K4DC) uPD416C2 (MK4116-3) uPD416C2 (F16K4DC	-) 20	
163	74 \$ 175	6	
164	74 \$ 153	6	
165	74 8 2 58	14	
126	74 \$ 74	3	
167	uPD416C2	. 20	
168	<u> </u>	个	
169	sub parts		
170	(MX4116-3)		
171	(FIGKADC		
172			
173		4	
174	uPD 416C2	20	
175	74 \$139	6,26	
176	79 \$ 74	3	
177	74 1 98	3	
178	Staro		
179	74 104	16	
100		16	
181		16	
182	<u> </u>	16	
183		17	
180 134		17	
185	<u> </u>	-1.7	
186	(a)	17	
166 137	,		
		18	
188	<u> </u>	18	
189	<u>}</u>	15	
190		19	
191			
192		19	
193	74 0 72	19	
194	74 9 04	19	
195	74 \$ 258	15	
190	<u> </u>		
197		14	
193	<b>+</b>	/4	3
199	74 \$ 258	14	
200	5/2/0,6	4	Three Rivers Computer

REVC	7/17/80 83 7/17/80 83		PERO Memory Board	
KEV B	1111180 YB		12/15/79 Rap	
			699	
		1	2 3 4	
				·
				===
201	74 \$112	24		
202	748112	24		
203	74 8 1/2	25		<del>-</del>
204	74100	4,5		
2015	7418374	2.7		-
206	74\$37	25	<u> </u>	
201	74 500	14, 22, 26,27		÷
208	7414163	<b>Z</b> 2		
209	746\$374			
2/0	74502	6,14,15,23		-
211	74 < \$ 374	15	<del> </del>	
2/2	74 6\$197	14		
213	74 68 374	23		
214	74 3 11 2			. 1 1/2/25
215	74 \$ 112	24,25		
21/2_	748 112	25		
217	74\$03 CAMP7529(20)	15,27		
218	HMI-7649-85546 201	1		
219	74 \$175	27		
270.	74 \$ 32	22 23,27		
221	7468374	22		
277	7414174	22		-5. ··
223	74 \$ 197	22		
224	7423393	75		
235	742 \$ 197	14,		
226	746\$374	23		
227	74\$112	24		
228	74 \$ 30	24		<u>i</u>
229	74 \$ 3 2 (AM 27\$29) (2	25,27		
230	HMI-7649-85546	oug   2/		
23/	74 310	23,25		
232	74874	22,23		
233_	74 6 \$ 163	22,		
234	7418248	23		
235	74 8 197	22		· ·
236	7418393	14		
237	74 \$138	23		
238	74\$112	24	7/	
239	74 \$ 11	24,25	V3\	
240	743112	25	Three Rivers Computer	
i+	REV D 10/14/5	ODIV ODA-PAY HOR.	12 12 12 12 12 12 12 12 12 12 12 12 12 1	


EV B	7/17/80 9B 7/17/80 9B								/	12	115	-/2	9		an	مرح					
_, _	1110											70			<i>F</i>		eleteration i company				
				= ,	_					,=			· · ·		з =					4=	
				=: '						<b>-</b>		il		-	J		T			4	
		+					1					#-					-				
		i					il -	-		•											
- n n 1	NTAL LOLD of the Control of the Control	-	£.			1	-						T	1	1 1	<del></del>	-	T		1	T
241	XTAL KIIODA (14 PIN SOCKET)	2"	<u>_</u>		× .	-	-	# =				-	+		-	.		-+-		-	
242	744 ~ 4	24	+	ارا			-	-				-  -	+		1	-					-
243	74\$04	76	, 2	حــــ	٠		11	÷	•	1 1 1						-		+-		<del>                                     </del>	
2.44	741\$163 (AMZ7\$29)(20 HMI-7649-85546	101	1	:			-	+-			-		-				-  -				+
245		120	<u>.</u>		·	-		 				1	-		<u> </u>		-	-		1	+
24/0	74 \$ 374	26					-					-					-				- 4
247_	74 \$ 225	13				·	· <del> </del>	-							191						
248_	74 \$ 225	13				+		-				-	-;				#_	_ ‡		· -	سنيست
249	74 \$ 374	13	-÷							l 	- ! -	- #	-	<b>e</b> 1560 (					· · · · ·		1-
<u>250</u>	74 \$ 112	12		-		ì		1		-		1	!		1		17	+		1	-
251_	74 \$ 00		23	1	5_		ļ			•							-		<u>.</u>		<b></b>
252	74\$112	12	-				. 1 0€	i .			į				O.	· -				-	<u> </u>
253_	74 \$ 20	12	.ļ.,				i	÷.		i 		-			Ĺ.		-  -				
254	74\$112	26		-=	<u> </u>	. <u>.</u>	1	į			. 1	-	4.				- 4			ļ.,	
255_	74 \$162	26				<u></u>		1				#				:	-				
256	HMI-7649-85546 (300.46)	7)26	·		· · ·	: <del>-1</del> 0€0-	-}  - <del>  </del> ->	· • · · ·			- i	-	<del> </del>		-					ļ	-
257_	74 \$ 374	26	)				ii	_ļ_			+	# _			•	erx.				ļ †	· ·
258	74 \$ 374	11	4			<u>.</u>	1	ļ			<u>.</u>	- i:		- 6-		1		<del>-</del>		<u> </u>	!
259	74 2 32	13	2	5			1	· 				1			· -	_  _	1	1-			
260	Smil	- !!		į		-	į.	i			-	j			1	- 12	1	1			÷
261	7643-5 (18 PIN SOCKET)	11	i			4 -		j							-						1
262	7643-5 (18 PIN SOCKET)	11					1	1		i I											
263	7643-5 (18 PIN SOCKET)	//				1	il L	i					1		:-		Ì			1	1.
264	74 \$ 374	11				(2)					ĺ	Ĭ						_			
765	74 \$ 225	11															1	-			
266	74 \$225	11		1			1					1:	(		1-61		-			er .	
267	74 \$ 32	1	12	>		İ		-					1		İ			Ť			i
268	748195	12						1					1		; —: :	*		-	×		
269	74 \$ 195	12	i					1	-									1	1		
270	74437		-,2	5		1	1	1				Ţ.	i	. *****		1		Ý		,	
271	Syn:i		2 1			!	ij	1 .		:		F			,		-1		-		
272	74 \$ 74	24	0	:		-	1	1				in .	1				.1			1	
223_	· 748Ø8	20					1	-		+ 			1				1	1			Y
274	74 874	2					1	1			-	-#-	1		<u> </u>	-	7			-+1 ·-	
275	74\$280	3					†	-		*	- +	- :	1		1	7			+ +0	<del>.</del>	,
276	74\$280	3			-	,	:				V		-	-	•		*				
	μ			- 1		•	1			-		- : :	-			3:					
<del></del>	1					1			400		:	1		<del></del> -	-		7	7	7	· · ·	* *
					ريست .	1:		,							1		1		×	· -	
				-			Ş	<u></u>		M.E		N <del>eo</del>	Ri	vers	C	ompu	.ier		<u>د</u>		

7/17/	/sø PRQ	-PCB-MEN	1-C	RES	ISTORS	8'.f 9
		1			3	4 ===
Resistor	Value	Page			•	
R1	RC07GF102J 1	K 3				
R2	REMOVED ON ECO MEM - C - ØØJ	+ -	4-7			
R3.	RC07GF102J 1	K 3	×	1	- E	
R4	RC07GF470J 47					* 1
R5	RC07GF102J 11			-		
R6	RCOTGF102J 1	·			1 :	1 1 1 0
R7	785-3-R33 (33.0) (4310R-					
R8	1	(33/1)		=		
R9	<b>X</b>					
R 10	, , ,	16	111	- 1		# + + + +
R 11		17				
R 12						
R 13		<b></b>				
	NOTE: ANOTHER SUITABLE					
R 14	SUBSTITUTE 15 785-3-R22					
RIS		18		1		
R 16						
R 17						
R 18		18				
R 19		19	1			
R 20		<u> </u>				
R 21	V			- 1		
R 22	785-3-R33 (33a) (4310R-1	02-19				
R 23	RC07GF102J 1K			-	1.4	
R 24	JA41JI THERMIS	TOR 23			1 1	
R 25		< 14				
R 26	V	22	, iii			
R 27		22.				
R 28		23				<del>                                     </del>
R 29		26				
R 30	RC076F102J 11	<del></del>				
R 31				- <u>1</u>		
R 32						*
R 33		·				
<u>" " " " " " " " " " " " " " " " " " " </u>	RCO1GF330J 33	IL   40		· /	1 11 1	
R 35	9 CA76 5 102 1	7 3				
	RC076F102j 11	*	11 · · · · · · · · · · · · · · · · · ·	-		
		27				
	RC076F102J 1					
R 38		·	* 1-2-1			<u> </u>
	RC076F100J 10J					4 (3)
R 40	CB4G75 4.7	1 24	- I 🔊 🖫	<b>T</b> ስ ''''ለ/ ይለታ ይህ		SUMENU- I
	*E	E 1/5/81 DIV	<b>(7)</b>	- 7		126. 7 0. 9

		PRQ-	PCB-MI	EM-	<u>C</u>	CO/	<i>UPO</i> N	ENT	<u>S</u>	9 <u></u> _	f 9	
					1 =		== 4	2 ====		З ====		4 ====
								•				
		REMOUED ON E	20				T					
D		MEM-C-007						* * * * * * * * * * * * * * * * * * * *			1 1	
$\overline{\mathcal{D}}$		1114004		24 24		1		1 1				111
C	1	1N9Ø4	27 [	-+		1-1-						
$\frac{c}{c}$	2	DD270 DD102	27pf					1 10				
C	3	00102	.oluf	1	(.THI:	CAPAC	ITOR	IS ONE	OF TI	HE 169 1	3YPASS	i i
	4	DDIOI	100pf		LIS	TED B	ELO	<b>W</b>				
C	5	DD181	180 pf	24								
					130		e i 1	1		* 1	-	
QT	Y	CAPACITO									1 0	
15		202A00225MI	BY <i>PASS 2.2</i> TANTULUM					*				-77
16	9	CYISCIB3M "	BYPASS .01	_    _						10 -		
	Ī											
L	1	WEE-1.OuH	1214	24								
1.	1	WEE-1.0 uH	<u>laH</u>	24							1 1 - 1	
	3	6317-4 (co	1)(0.08ut	1) 24	· · · · · · · · · · · · · · · · · · ·	-					1	0.0
$\overline{}$		0112044				ļ				ļ — <u> </u>		·
Q	1	2N3866		24				- <u>i</u> -				: !
Ψ	2	LM 79105AC		20		Ī						1
	_ 11	<u>514AG37D or 814A</u> 516AG37D or 816			:02	F21		Ť		1 1		1
	٠,٥	5/8 AG37D or 8.	10 0 × 40 ×	nei	<u> </u>	P) 40	60	$,8\varphi$	31 , 111	131,1	53	<u> </u>
	4	520AG37D OR 8	1070110"2	OCKE	T 112	18 7	306 -	115	256	<u> </u>		
	-					, 2	ے رکار	-27 -2-)-4	۔ ۔ ور ہے			
											<del>}</del>	
	- 1	3\$41 SPA	CER	(	META	L 800	y 7.	RANS	istol	E [Q]]	SPAC	ZR)
										LIFT		
	!					1C#5					* *	
				-								
				1 1			-  -	· <u> </u>		i		<u> </u>
				-						<u>;                                    </u>	<u> </u>	1
		,		-			* !					
							<u> </u>					· ·
						-   -		310		† - · ·		
	11	_				41	- %-	ĭ		1		
							-			<del> </del>		
	**************************************		•			-  -			1	× -		<u> </u>
				- 1		: -		7 /	· · · ·	<u></u>	3	1
	11					1						•
	THE RESERVE AND ADDRESS OF THE PERSON NAMED IN COLUMN 1 AND ADDRES	*	REV F	15/81	RAC	Ę		Thr	ee River		3	

_	861 ALL 81	№0-2K-0339-C							
	BTYCK			-					GREEN
-									
		[03]	01 U61 3	U94		1 2   10166 2   UIVE	J [U201 ] J [U204 ] J [U20	SOLDER SIDE	
					U136_3 U135_3 U146_3 U135_3	018 08 08 08 08 08 08 08 08 08 08 08 08 08	Z [U203	9	
						K1183 2 200 200 200 200 200 200 200 200 200		O1 838 K1100A  R 840 U241 A U240 A  U246 A U245 HRZOG U244	10257
A STATE OF THE PARTY OF THE PAR						8810% 810% 810% 610% 610%	[ ] [ [ [ 120 ] ] [ [ 1 ] [ [ 1 ] [	11 0 C C C C C C C C C C C C C C C C C C	Zuzeo
	M Me					K1191 E C C C C C C C C C C C C C C C C C C	<u> </u>	U249 U249	12643-5 12643-5 12643-5 12643-5 12643-5 12643-5
	7 01A	U40 30 1930	2017 2 1671 2017 2 1671 2017 2 1671 2017 2 1671 2017 2 1671		U153	2011/2 2011/2 2011/2	R27 — 6 (U223 — 6)	C) C) C) C) C) C) C) C) C) C) C) C) C) C	70264 70265
	9/20%	[173]	U22 3	W112 7	VIS4	861UZ 861UZ 761UZ	R 25 (U21)	R30 R30 R30 R30 U253 R30 R30 R30	2007 2007 2007 2007 2007 2007 2007 2007
-	•		=	•			)-wa\	E bkG-2K4-P	R 233


=	T	hree	Rivers	Compi	iter		
(2)		7-MEN1.	''	""PRQ-	-1:1EN	1-6	
	574 04 57 5741 140 81	汉汉	Ď="5K-0	239-0	**** }	ے دہ	2



18 July, 191

# PRQ-PCB-MEM-C SUBASSEMBLY DIRECTORY

DRAWING NUMBER	DESCRIPTION	PAGE NUMBER
PRQ-SK-0239-C	PRQ-SK4-MEM-C	, 1
PRQ-SK-0238-C	PRQ-SK1-MEM-C	2
PRQ-SC-0484-B	Table of Contents	1
PRQ-SC-0485-A	MEM Block Diagram	1
PRQ-SC-0486-A	MEM Block Diagram	2
PRQ-SC-0487-H	Data Input Parity	3
PRQ-SC-0488-F	Data Input : WO, WI	4
PRQ-SC-0489-E	Data Input : W2, W3	5
PRQ-SC-0490-H	Data Output	6
PRQ-SC-0491-B	Data Output	7
PRQ-SC-0492-B	Data Output	8
PRQ-SC-0493-F	Memory Shifter	. 9
PRQ-SC-0494-E	Memory Shifter	10
PRQ-SC-0495-E	Video Output	11
PRQ-SC-0496-H	Video Output	12
PRQ-SC-0497-A	Video Output	13
PRQ-SC-0498-G	MEM ADR SEL	14
PRQ-SC-0499-A	MEM ADR SEL	15
PRQ-SC-0500-C	MEM Drivers 3	16
PRQ-SC-0501-C	MEM Drivers 2	17
PRQ-SC-0502-B	MEM Drivers 0	18
PRQ-SC-0503-C	MEM Drivers 1	19
PRQ-SC-0504-E	TYP RAM & JC	20
PRQ-SC-0505-C	RAM Array	21
PRQ-SC-0506-H	I/O Registers	22
PRQ-SC-0507-H	I/O Registers	23
PRQ-SC-0508-J	Clock Gen	24
PRQ-SC-0509-G	CLK GEN	25
PRQ-SC-0510-J	Horizontal State	26
PRQ-SC-0511-F	MEM State	27
PRQ-SC-0512-G	MEM C Parts List	9
		<b>(</b> 5)



DRAWING NUMBER	DESCRIPTION	PAGE NUMBER
PRQ-PL-0513-F	MEM C Parts List	8
PRQ-PL-0514-G	ıı .	7 *
PRQ-PL-0515-G	н	2
PRQ-PL-0516-G	н	3
PRQ-PL-0517-G	n n	4
PRQ-PL-0518-F	n	5
PRQ-PL-0519-F	u .	6
PRQ-PL-0520-E	H	7
PRQ-PL-0530-A	MEM-C Inventory Parts List	7
PRQ-PL-0531-A	n .	2
PRQ-PL-0532-A	· · · · · · · · · · · · · · · · · · ·	3
PRQ-PL-0533-A	II.	4
PRQ-PL-0534-A	B	5
PRQ-PL-0535-A	ii ii	6
PRQ-SD-0560-D	Subassembly Directory	1
PRQ-SD-0561-D	Subassembly Directory	2
PRQ-PL-0562-B	Gate Utilization	1

	.6				£5	7.
5	Th	ree Rive	ers Comp	uter		٦
5))		S(R, 2)13	require in .	· · · · · · · · · · · · · · · · · · ·		7
100	CONTRACT TO	10 th 10	50 - WISH	7941 Z	• Z	7

### GATE UTILIZATION

# PRQ-PCB-MEM-C

	LEGEND	
	INPUT	<u>OUTPUT</u>
<u> </u>	1,2 -	3, 4

<u>74S00</u>	<u>U251</u>
1, 2-3 4, 5-6	23
10, 9-8 13, 12-11	25 12

<u>74S04</u>	<u>U243</u>
1-2 3-4 5-6 9-8 11-10 13-12	26 26 26 25

74532	0259
1, 2-3 4, 5-6 10, 9-8 13, 12-11	25 13

74\$74	<u>U274</u>	<u>U272</u>
1, 2, 3, 4-5, 6 13, 12, 11, 10-9, 8	26	26




<u></u>	Thre	e Rivers	Compuler	
21)	FEMILE SATE	STL.	Marie P.O 1	ਵ ੂ'
マツ	21 to 20 T	15.00	1 m 1 m 2 m 1 mm1	o-


## PERQ MEMORY (C) SCHEMATICS

#### TABLE OF CONTENTS


		/ \
TITLE		PAGES (27)
BLOCK DIAGRAM	•	1,2
DATA INPUT - PAR	ITY	<b>3</b> ·
DATA INPUT		4, 5
DATA OUTPUT		6, 7, 8
MEMORY SHIFTE	ER	9, 10
VIDEO OUTPUT		11, 12, 13
ADDRESS SEL		14, 15
MEMORY DRIVER	5 3	16
W	2	17
N.	1	19
u	Ø	18
TYPICAL RAM C	HIP	2ø
RAM ARRAY		21
I/O REGISTERS	<b>)</b>	22,23
CLOCK GENERAT	OR	24,25
HORIZONTAL ST	ATE	26
MEMORY STATE		27
CONNECTOR JO	·	20



=	L	Tree	Rivors	Computer	
5))	"" MEM	SLOCK	DIAZAIC	"""PERQ - M	EM-C
57	**************************************	· c/? = 3	P - EC -	2485-0 1	-27




	Three	Rivers	Computer	
<b>5</b> ))	"" MEM BLOCK	2/12	"ON PERG - N	AEM - C
\"	****** 55 15/ 73	577-3C	C4 512 - F 2	-27





$\Lambda I \Lambda$	
/EV4/~\	•
73V3	\
_	


5	The	es River	Compuler	
<b>5</b> ))	"" DATA IN	PUTIPLE T	MARI SESS -	かぜんく
	CONTRACT OF	P#7-5C	0487-H	3 -27





		Three	Rivers	Computer	
<b>5</b> ))	"DATA IN	שאידעי.	W!	PRQ - MEN	1-6






























REV. D 7/11/80 8	Three Rivers Computer
PEVE 7/15/20 5 PEVE 3/4/20 73	"" MENOS! CLETCE THE PLANT SOME MEM TO
PEV.E. 7/15/20 5 B PEV. 8 3/ 4/20 38 21	







PEV & 7/16/20 30 REV. D 5/14/20 30 REV & 7/16/20 30 SEV. C 3/14/20 30 REV & 7/14/20 30 REV. B 3/14/20 
	L	Three	Rivers	Comp	uter
)	"" VIDEO	DUTTE	ידע	Mary PEC	RQ-MEM.
	C-SCTO SA	77 월	83 Er-C	496-H	12 - 2











5	Thre	e Rivers	Computer		
	"" RCA NEW""	5 <del>5</del> 1	man FERX-ME	M- C	
673	MARKET STATE	245.50-C	0499-A 15	-27	




REV C 1/9/9/04 5 Three Rivers Computer


NEM DRIVERS 3 - PERQ - MEM - C


REV 8 3/14/80 88




REV C 1/9/81 DIV DIVERS 2 PERO - MEM - C
REV B 3/19/80 SR













REV 8. 7/15/80 43



REV C DIV 1/28/8 REV B 58 3/14/80











RAC REV I 12 12 120 REV. F 7115/80 96 OIV REV H INTERES REV. E 7-11-20 95

Three Rivers Computer









REV E 7/15/50						3
REV.D S/A/20	=		Three	Rivers	Computer	
REV.C. 5/9/60	হূ))	"" MEM	STATE		PEF(2-N	AEM - C
REV. B. SINJONS	(7)	C-45 40 42 - 2 10	107/29 27	<i>'5' \$</i> c · <i>Q</i>	516 F - 2	7-27